
Automated Railcar Release – Error Codes

How to release railcars through computer-to-computer exchange.

This document contains the technical definitions of the possible error codes that can be generated by the application that is processing the release request

Revision Date: January 31, 2014

List of Errors and Corresponding Sample Input Output

Error Code	Explanation	Response	Input XML	Output XML
<Incorrect username>	If an incorrect username is entered, WebSeal will return an XML error reply.	The whole transmission is cancelled. Enter in the valid username and password combo and resubmit.		... <faultcode>{http://xml.apache.org/axis/}HTTP</faultcode> <faultstring>(401) Unauthorized</faultstring> ...
<Incorrect password>	If an incorrect password is entered, WebSeal will return an XML error reply.	The whole transmission is cancelled. Enter in the valid username and password combo and resubmit.		... <faultcode>{http://xml.apache.org/axis/}HTTP</faultcode> <faultstring>(401) Unauthorized</faultstring> ...
<Correct username and password but NOT ACTIVE status account.>	If the account is not in an Active status, WebSeal will return an XML error reply.	This can only be corrected if the account is set back to Active status. Contact the eBusiness Support team to rectify (1-800-361-0198).		... <faultcode xmlns:ns1="http://xml.apache.org/axis/">HTTP</faultcode> <faultstring>(401)Unauthorized</faultstring> <detail>Your account has been locked for security reasons : return code: 401</detail> ...
<When trying to use a temporary password with Web Services>	If the account has been assigned a temporary password, a new password must be selected online before using the Web Services.	Login with the temporary password online at www.cn.ca, select a new password and then retry the Web Services with the new password.		... <faultcode xmlns:ns1="http://xml.apache.org/axis/">HTTP</faultcode> <faultstring>(401)Unauthorized</faultstring> <detail> You are currently using a temporary password. Please go to www.cn.ca. to reset it : return code: 401 </detail> </soapenv:Fault> ...
<No permission/role granted to the application the user is trying to access>	If the username / password combo has not been granted access to the application, then WebSeal will return an XML error reply.	The whole transmission is cancelled. Contact the eBusiness Support team to rectify (eBusiness@cn.ca)		... <faultcode>{http://xml.apache.org/axis/}HTTP</faultcode> <faultstring>(403) Forbidden</faultstring> ...
<Server Error>	Unexpected system error encountered.	Try again later. If the problem persists, contact the eBusiness Support team to rectify (eBusiness@cn.ca).		... <faultcode>{http://xml.apache.org/axis/}HTTP</faultcode> <faultstring>(500) Server error</faultstring> ...
<Any XML parsing error>	Any XML parsing error.	The whole transmission is cancelled. Based on the fault string, correct the error indicated and resubmit.		... <faultcode xmlns:ns1="http://xml.apache.org/axis/">ns1:ERROR_XML_PARSER</faultcode> <faultstring>{Error indicated by the XML parser e.g. EquipmentInitials is a required field.}</faultstring> ...
<Any unexpected Application error>	Unexpected system error encountered	Try again later. If the problem persists, contact the eBusiness Support team to rectify (eBusiness@cn.ca).		... <faultcode xmlns:ns1="http://xml.apache.org/axis/">ns1:Application problem</faultcode> <faultstring>Information processing stopped by unexpected interruption or command. If this problem persists, please contact our Electronic

Error Code	Explanation	Response	Input XML	Output XML
				Customer Information Consultants at 1-800-361-0198. </faultstring> ...
ERROR_INTERNET_USER_NOT_DEFINED	When the internet id is not defined.	Send a copy of the error message to the eBusiness support team (eBusiness@cn.ca) to rectify.		... <ErrorCode>ERROR_INTERNET_USER_NOT_DEFINED</ErrorCode> <ErrorDescription>Internet user ID has not been defined. Please contact your customer service representative to resolve.</ErrorDescription> ...
ERROR_INTERNET_USER_NOT_SETUP	When the internet user is not set-up as a business contact.	Send a copy of the error message to the eBusiness support team (eBusiness@cn.ca) to rectify.		... <ErrorCode>ERROR_INTERNET_USER_NOT_SETUP</ErrorCode> <ErrorDescription>Internet user id is not setup as a business contact. Please contact your customer service representative to resolve.</ErrorDescription> ...
ERROR_PREFERENCE_ID_NOT_FOUND	When the preference id is not found.	Send a copy of the error message to the eBusiness support team (eBusiness@cn.ca) to rectify.		... <ErrorCode>ERROR_PREFERENCE_ID_NOT_FOUND</ErrorCode> <ErrorDescription>Preference ID is not found. Please contact your customer service representative to resolve.</ErrorDescription> ...
ERROR_PREFERENCE_NOT_FOUND	When the preference are not found.	Send a copy of the error message to the eBusiness support team (eBusiness@cn.ca) to rectify.		... <ErrorCode>ERROR_PREFERENCE_NOT_FOUND</ErrorCode> <ErrorDescription>Preference is not found. Please contact your customer service representative to resolve.</ErrorDescription> ...
ERROR_PREFERENCE_RESTRICTED_TO_ONE_STATION	Our system can only handle one station.	Send a copy of the error message to the eBusiness support team (eBusiness@cn.ca) to rectify.		... <ErrorCode>ERROR_PREFERENCE_ONE_STATION</ErrorCode> <ErrorDescription>User preference is restricted to one station. Please contact your customer service representative to resolve.</ErrorDescription> ...
ERROR_STATION_CANNOT_BE_FOUND	The station that the SRO id is setup with is no longer found on the system.	Send a copy of the error message to the eBusiness support team (eBusiness@cn.ca) to rectify.		... <ErrorCode> ERROR_STATION_CANNOT_BE_FOUND </ErrorCode> <ErrorDescription> Track or place location cannot be found. Please contact your customer service representative to resolve.</ErrorDescription> ...
ERROR_TRACK_OR_LOCATIONS_NOT_FOUND	Track or location not found.	Send a copy of the error message to the eBusiness support team (eBusiness@cn.ca) to rectify.		... <ErrorCode> ERROR_TRACK_OR_LOCATIONS_NOT_FOUND </ErrorCode> <ErrorDescription>Track or place location cannot be found. Please contact your customer service representative to resolve.</ErrorDescription> ...
ERROR_NO_CARS_ON_SITE	No cars onsite at the customer's facility.	Send a copy of the error message to the eBusiness support team (eBusiness@cn.ca) to rectify.		... <ErrorCode> ERROR_NO_CARS_ON_SITE </ErrorCode> <ErrorDescription>There is no equipment on-site at your facility.</ErrorDescription> ...

Error Code	Explanation	Response	Input XML	Output XML
ERROR_CAR_NOT_FOUND_ONSITE	If a particular Equipment ID is not found onsite. It could be that the car is a bad order car and the mechanical type corresponds to a type of car that cannot be moved.	Send a copy of the error message to the eBusiness support team (eBusiness@cn.ca) to rectify.	<pre> ... <UserName>USER1234</UserName> <ReleaseSummary> <Date>20031112</Date> <Time>13:05</Time> <Track>J001</Track> </ReleaseSummary> <EquipmentReleaseDetail> <EquipmentInfo> <EquipmentInitials>AGRI</EquipmentInitials> <EquipmentNumber>234567</EquipmentNumber> </EquipmentInfo> <Loaded>>false</Loaded> </EquipmentReleaseDetail> <EquipmentReleaseDetail> <EquipmentInfo> <EquipmentInitials>AGRI</EquipmentInitials> <EquipmentNumber>345678</EquipmentNumber> </EquipmentInfo> <Loaded>>false</Loaded> </EquipmentReleaseDetail> </SROReleaseRequest> </pre>	<pre> ... <ReleaseSummary> <Date>20031112</Date> <Time>13:05</Time> <Track>J001</Track> <NumberOfRecords>1</NumberOfRecords> </ReleaseSummary> <EquipmentReleaseStatus> <EquipmentInfo> <EquipmentInitials> AGRI </EquipmentInitials> <EquipmentNumber>234567</EquipmentNumber> </EquipmentInfo> <Status>Accepted</Status> </EquipmentReleaseStatus> <EquipmentReleaseStatus> <EquipmentInfo> <EquipmentInitials> AGRI</EquipmentInitials> <EquipmentNumber>345678</EquipmentNumber> </EquipmentInfo> <Status>Rejected</Status> <ErrorCode>ERROR_CAR_NOT_FOUND_ONSITE /ErrorCode> </EquipmentReleaseStatus> </SROReleaseReply> </pre>
ERROR_CAR_NOT_FOUND_ON_TRACK	If a track is specified and the car is not found on the track.	Send a copy of the error message to the eBusiness support team (eBusiness@cn.ca) to rectify.	<pre> ... <UserName>USER1234</UserName> <ReleaseSummary> <Date>20031112</Date> <Time>13:05</Time> <Track>J001</Track> </ReleaseSummary> <EquipmentReleaseDetail> <EquipmentInfo> <EquipmentInitials>AGRI</EquipmentInitials> <EquipmentNumber>234567</EquipmentNumber> </EquipmentInfo> <Loaded>>false</Loaded> </EquipmentReleaseDetail> <EquipmentReleaseDetail> <EquipmentInfo> <EquipmentInitials>AGRI</EquipmentInitials> <EquipmentNumber>345678</EquipmentNumber> </EquipmentInfo> <Loaded>>false</Loaded> </EquipmentReleaseDetail> </SROReleaseRequest> </pre>	<pre> ... <ReleaseSummary> <Date>20031112</Date> <Time>13:05</Time> <Track>J001</Track> <NumberOfRecords>1</NumberOfRecords> </ReleaseSummary> <EquipmentReleaseStatus> <EquipmentInfo> <EquipmentInitials> AGRI </EquipmentInitials> <EquipmentNumber>234567</EquipmentNumber> </EquipmentInfo> <Status>Accepted</Status> </EquipmentReleaseStatus> <EquipmentReleaseStatus> <EquipmentInfo> <EquipmentInitials> AGRI</EquipmentInitials> <EquipmentNumber>345678</EquipmentNumber> </EquipmentInfo> <Status>Rejected</Status> <ErrorCode>ERROR_CAR_NOT_FOUND_ON_TRACK /ErrorCode> </EquipmentReleaseStatus> </SROReleaseReply> </pre>

Error Code	Explanation	Response	Input XML	Output XML
ERROR_CANNOT_RELEASE_INTERMODAL	Cannot release Intermodal cars.	Cannot submit Intermodal units. Note, there is no need to resubmit other cars.	<pre> ... <UserName>USER1234</UserName> <ReleaseSummary> <Date>20031112</Date> <Time>13:05</Time> <Track>J001</Track> <Station> <LocationType>SL</LocationType> <StationCode>SPLCCODE</StationCode> <StationCarrierSCAC>CN</StationCarrierSCAC> </Station> </ReleaseSummary> <EquipmentReleaseDetail> <EquipmentInfo> <EquipmentInitials>PLU</EquipmentInitials> <EquipmentNumber>1</EquipmentNumber> </EquipmentInfo> <Loaded>>false</Loaded> </EquipmentReleaseDetail> <EquipmentReleaseDetail> <EquipmentInfo> <EquipmentInitials>AGRI</EquipmentInitials> <EquipmentNumber>345678</EquipmentNumber> </EquipmentInfo> <Loaded>>false</Loaded> </EquipmentReleaseDetail> </SROReleaseRequest> </pre>	<pre> ... <ReleaseSummary> <Date>20031112</Date> <Time>13:05</Time> <Track>J001</Track> <NumberOfRecords>1</NumberOfRecords> </ReleaseSummary> <EquipmentReleaseStatus> <EquipmentInfo> <EquipmentInitials> PLU </EquipmentInitials> <EquipmentNumber>1</EquipmentNumber> </EquipmentInfo> <Status>Rejected</Status> <ErrorCode> ERROR_CANNOT_RELEASE_INTERMODAL </ErrorCode> </EquipmentReleaseStatus> <EquipmentReleaseStatus> <EquipmentInfo> <EquipmentInitials> AGRI</EquipmentInitials> <EquipmentNumber>345678</EquipmentNumber> </EquipmentInfo> <Status>Accepted</Status> </EquipmentReleaseStatus> </SROReleaseReply> </pre>
ERROR_NO_TRACK_SPECIFIED_MANY_CARS	No track is specified and the system has found too many cars onsite to handle for performance reasons. User needs to narrow the scope of the request at least with a default Track for all the cars.	Specify the track in the Request. Note that all cars resubmitted must reside on the track specified. Otherwise, those cars that are not on the track will be rejected by our backend system.	<pre> ... <UserName>USER1234</UserName> <ReleaseSummary> <Date>20031112</Date> <Time>13:05</Time> <Track></Track> </ReleaseSummary> <EquipmentReleaseDetail> <EquipmentInfo> <EquipmentInitials>ABC</EquipmentInitials> <EquipmentNumber>999999</EquipmentNumber> </EquipmentInfo> <Loaded>>false</Loaded> </EquipmentReleaseDetail> </SROReleaseRequest> </pre>	<pre> ... <ReleaseSummary> <Date>20031112</Date> <Time>13:05</Time> <Track></Track> <NumberOfRecords>0</NumberOfRecords> </ReleaseSummary> <EquipmentReleaseStatus> <EquipmentInfo> <EquipmentInitials></EquipmentInitials> <EquipmentNumber></EquipmentNumber> </EquipmentInfo> <Status>Rejected</Status> <ErrorCode>ERROR_NO_TRACK_SPECIFIED_MANY_CARS</ErrorCode> </EquipmentReleaseStatus> </SROReleaseReply> </pre>

Error Code	Explanation	Response	Input XML	Output XML
ERROR_RELEASE_EMPTY_AS_EMPTY_WITHOUT_SPECIAL	This situation must be handled manually as it requires a special release.	Release this car online through the eBusiness site using the SRO eBusiness tool.	<pre> ... <UserName>USER1234</UserName> <ReleaseSummary> <Date>20031112</Date> <Time>13:05</Time> <Track></Track> </ReleaseSummary> <EquipmentReleaseDetail> <EquipmentInfo> <EquipmentInitials>ABC</EquipmentInitials> <EquipmentNumber>999999</EquipmentNumber> </EquipmentInfo> <Loaded>>false</Loaded> </EquipmentReleaseDetail> <EquipmentReleaseDetail> <EquipmentInfo> <EquipmentInitials>ABC</EquipmentInitials> <EquipmentNumber>9999</EquipmentNumber> </EquipmentInfo> <Loaded>>false</Loaded> </EquipmentReleaseDetail> </SROReleaseRequest> </pre>	<pre> ... <ReleaseSummary> <Date>20031112</Date> <Time>13:05</Time> <Track></Track> <NumberOfRecords>0</NumberOfRecords> </ReleaseSummary> <EquipmentReleaseStatus> <EquipmentInfo> <EquipmentInitials></EquipmentInitials> <EquipmentNumber></EquipmentNumber> </EquipmentInfo> <Status>Rejected</Status> <ErrorCode>ERROR_RETRY</ErrorCode> </EquipmentReleaseStatus> ... </pre>
ERROR_RETRY	Difficulty in sending the message to the MF.	Retry and if the problem should persist, contact send a copy of the error message to the eBusiness support team (eBusiness@cn.ca) to rectify.		<pre> ... <ReleaseSummary> <Date>20031112</Date> <Time>13:05</Time> <Track></Track> <NumberOfRecords>0</NumberOfRecords> </ReleaseSummary> <EquipmentReleaseStatus> <EquipmentInfo> <EquipmentInitials>ABC</EquipmentInitials> <EquipmentNumber>999999</EquipmentNumber> </EquipmentInfo> <Status>Rejected</Status> <ErrorCode>ERROR_RELEASE_EMPTY_AS_EMPTY_WITHOUT_SPECIAL</ErrorCode> </EquipmentReleaseStatus> <EquipmentReleaseStatus> <EquipmentInfo> <EquipmentInitials>ABC</EquipmentInitials> <EquipmentNumber>9999</EquipmentNumber> </EquipmentInfo> <Status>Accepted</Status> </EquipmentReleaseStatus> </SROReleaseReply> </pre>

Error Code	Explanation	Response	Input XML	Output XML
ERROR_DUPLICATE_CARS	Duplicate cars were sent in the XML message. The first instance of the car was sent through, the duplicates were not.	Nothing needs to be done as the intent of this message is only to inform that there were duplicate cars in the received message	<pre> <EquipmentReleaseDetail> <EquipmentInfo> <EquipmentInitials>cnwx</EquipmentInitials> <EquipmentNumber>101051</EquipmentNumber> </EquipmentInfo> <LoadEmpty>load</LoadEmpty> </EquipmentReleaseDetail> <EquipmentReleaseDetail> <EquipmentInfo> <EquipmentInitials>cnwx</EquipmentInitials> <EquipmentNumber>101051</EquipmentNumber> </EquipmentInfo> <LoadEmpty>load</LoadEmpty> </EquipmentReleaseDetail> </pre>	<pre> <EquipmentReleaseStatus> <EquipmentInfo> <EquipmentInitials>cnwx</EquipmentInitials> <EquipmentNumber>101051</EquipmentNumber> </EquipmentInfo> <Status>Accepted</Status> </ErrorCode> </EquipmentReleaseStatus> <EquipmentReleaseStatus> <EquipmentInfo> <EquipmentInitials>cnwx</EquipmentInitials> <EquipmentNumber>101051</EquipmentNumber> </EquipmentInfo> <Status>Rejected</Status> <ErrorCode>ERROR_DUPLICATE_CARS</ErrorCode> </EquipmentReleaseStatus> </pre>
ERROR_CAR_NOT_FOUND_ON_TRACK	If the track is specified and the car is not found on the track.	Check the track specified and resend the message with a corrected or different track number.	<pre> ... <UserName>USER1234</UserName> <ReleaseSummary> <Date>20031112</Date> <Time>13:05</Time> <Track>J001</Track> </ReleaseSummary> <EquipmentReleaseDetail> <EquipmentInfo> <EquipmentInitials>AGRI</EquipmentInitials> <EquipmentNumber>234567</EquipmentNumber> </EquipmentInfo> <Loaded>>false</Loaded> </EquipmentReleaseDetail> <EquipmentReleaseDetail> <EquipmentInfo> <EquipmentInitials>AGRI</EquipmentInitials> <EquipmentNumber>345678</EquipmentNumber> </EquipmentInfo> <Loaded>>false</Loaded> </EquipmentReleaseDetail> </SROReleaseRequest> </pre>	<pre> ... <ReleaseSummary> <Date>20031112</Date> <Time>13:05</Time> <Track>J001</Track> <NumberOfRecords>1</NumberOfRecords> </ReleaseSummary> <EquipmentReleaseStatus> <EquipmentInfo> <EquipmentInitials> AGRI </EquipmentInitials> <EquipmentNumber>234567</EquipmentNumber> </EquipmentInfo> <Status>Accepted</Status> </EquipmentReleaseStatus> <EquipmentReleaseStatus> <EquipmentInfo> <EquipmentInitials> AGRI</EquipmentInitials> <EquipmentNumber>345678</EquipmentNumber> </EquipmentInfo> <Status>Rejected</Status> <ErrorCode>ERROR_CAR_NOT_FOUND_ON_TRACK </ErrorCode> </EquipmentReleaseStatus> </SROReleaseReply> </pre>

Error Code	Explanation	Response	Input XML	Output XML
ERROR_EQUIPMENT_INITIALS_MIN_2_MAX_4_CHARACTERS	If the equipment initials is less than 2 characters or more than 4	Check the equipment initials specified and resend the message with a corrected or different equipment initials.	<pre> <SROReleaseRequest> <UserName>USER1234</UserName> <ReleaseSummary> <Date>20061101</Date> <Time>13:09</Time> </ReleaseSummary> <EquipmentReleaseDetail> <EquipmentInfo> <EquipmentInitials>A</EquipmentInitials> <EquipmentNumber>500075</EquipmentNumber> <ReleasedTrack>EJ61</ReleasedTrack> <AfterCarInitials></AfterCarInitials> <AfterCarNumber></AfterCarNumber> </EquipmentInfo> <LoadEmpty>EMPTY</LoadEmpty> </EquipmentReleaseDetail> <EquipmentReleaseDetail> <EquipmentInfo> <EquipmentInitials>BNEEE</EquipmentInitials> <EquipmentNumber>500077</EquipmentNumber> <ReleasedTrack>EJ61</ReleasedTrack> <AfterCarInitials></AfterCarInitials> <AfterCarNumber></AfterCarNumber> </EquipmentInfo> <LoadEmpty>EMPTY</LoadEmpty> </EquipmentReleaseDetail> <EquipmentReleaseDetail> <EquipmentInfo> <EquipmentInitials></EquipmentInitials> <EquipmentNumber>500079</EquipmentNumber> <ReleasedTrack>EJ61</ReleasedTrack> <AfterCarInitials></AfterCarInitials> <AfterCarNumber></AfterCarNumber> </EquipmentInfo> <LoadEmpty>EMPTY</LoadEmpty> </EquipmentReleaseDetail> </SROReleaseRequest> </pre>	<pre> <?xml version="1.0" encoding="UTF-8"?> <soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"> <soapenv:Body> <SROReleaseReply xmlns="http://www.cn.ca/SRO/Release"> <ReleaseSummary> <Date>20070215</Date> <Time>11:00</Time> </ReleaseSummary> <EquipmentReleaseStatus> <EquipmentInfo> <EquipmentInitials>A</EquipmentInitials> <EquipmentNumber>500075</EquipmentNumber> <ReleasedTrack>EJ61</ReleasedTrack> </EquipmentInfo> <Status>Rejected</Status> <ErrorCode>ERROR_EQUIPMENT_INITIALS_MIN_2_MAX_4_CHARACTERS</ErrorCode> </EquipmentReleaseStatus> <EquipmentReleaseStatus> <EquipmentInfo> <EquipmentInitials>BNEEE</EquipmentInitials> <EquipmentNumber>500077</EquipmentNumber> <ReleasedTrack>EJ61</ReleasedTrack> </EquipmentInfo> <Status>Rejected</Status> <ErrorCode>ERROR_EQUIPMENT_INITIALS_MIN_2_MAX_4_CHARACTERS</ErrorCode> </EquipmentReleaseStatus> <EquipmentReleaseStatus> <EquipmentInfo> <EquipmentInitials /> <EquipmentNumber>500079</EquipmentNumber> <ReleasedTrack>EJ61</ReleasedTrack> </EquipmentInfo> <Status>Rejected</Status> <ErrorCode>ERROR_EQUIPMENT_INITIALS_MIN_2_MAX_4_CHARACTERS</ErrorCode> </EquipmentReleaseStatus> </SROReleaseReply> </soapenv:Body> </soapenv:Envelope> </pre>

Error Code	Explanation	Response	Input XML	Output XML
ERROR_EQUIPMENT_NUMBER_MIN_1_MAX_6_CHARACTERS	If the equipment number is less than 1 characters or more than 6	Check the equipment number specified and resend the message with a corrected or different equipment number.	<pre> <SROReleaseRequest> <UserName>USER1234</UserName> <ReleaseSummary> <Date>20061101</Date> <Time>13:09</Time> </ReleaseSummary> <EquipmentReleaseDetail> <EquipmentInfo> <EquipmentInitials>BN</EquipmentInitials> <EquipmentNumber>1234567</EquipmentNumber> <ReleasedTrack>EJ61</ReleasedTrack> <AfterCarInitials></AfterCarInitials> <AfterCarNumber></AfterCarNumber> </EquipmentInfo> <LoadEmpty>EMPTY</LoadEmpty> </EquipmentReleaseDetail> </SROReleaseRequest> </pre>	<pre> <?xml version="1.0" encoding="UTF-8"?> <soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"> <soapenv:Body> <SROReleaseReply xmlns="http://www.cn.ca/SRO/Release"> <ReleaseSummary> <Date>20070215</Date> <Time>11:05</Time> </ReleaseSummary> <EquipmentReleaseStatus> <EquipmentInfo> <EquipmentInitials>BN</EquipmentInitials> <EquipmentNumber>1234567</EquipmentNumber> <ReleasedTrack>EJ61</ReleasedTrack> </EquipmentInfo> <Status>Rejected</Status> <ErrorCode>ERROR_EQUIPMENT_NUMBER_MIN_1_MAX_6_CHARACTERS</ErrorCode> </EquipmentReleaseStatus> </SROReleaseReply> </soapenv:Body> </soapenv:Envelope> </pre>

Error Code	Explanation	Response	Input XML	Output XML
ERROR_RELEASED_TRACK_INVALID_MUST_BE_4_CHARACTERS	If the release track less or more than 4 characters	Check released track specified and resend the message with a corrected or different released track.	<pre> <SROReleaseRequest> <UserName>USER1234</UserName> <ReleaseSummary> <Date>20061101</Date> <Time>13:09</Time> </ReleaseSummary> <EquipmentReleaseDetail> <EquipmentInfo> <EquipmentInitials>BN</EquipmentInitials> <EquipmentNumber>500075</EquipmentNumber> <ReleasedTrack>EJ6</ReleasedTrack> <AfterCarInitials></AfterCarInitials> <AfterCarNumber></AfterCarNumber> </EquipmentInfo> <LoadEmpty>EMPTY</LoadEmpty> </EquipmentReleaseDetail> <EquipmentReleaseDetail> <EquipmentInfo> <EquipmentInitials>BN</EquipmentInitials> <EquipmentNumber>500076</EquipmentNumber> <ReleasedTrack>EJ651</ReleasedTrack> <AfterCarInitials></AfterCarInitials> <AfterCarNumber></AfterCarNumber> </EquipmentInfo> <LoadEmpty>EMPTY</LoadEmpty> </EquipmentReleaseDetail> </SROReleaseRequest> </pre>	<pre> <?xml version="1.0" encoding="UTF-8"?> <soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"> <soapenv:Body> <SROReleaseReply xmlns="http://www.cn.ca/SRO/Release"> <ReleaseSummary> <Date>20070215</Date> <Time>11:08</Time> </ReleaseSummary> <EquipmentReleaseStatus> <EquipmentInfo> <EquipmentInitials>BN</EquipmentInitials> <EquipmentNumber>500075</EquipmentNumber> <ReleasedTrack>EJ6</ReleasedTrack> </EquipmentInfo> <Status>Rejected</Status> <ErrorCode>ERROR_RELEASED_TRACK_INVALID_MUST_BE_4_C HARACTERS</ErrorCode> </EquipmentReleaseStatus> <EquipmentReleaseStatus> <EquipmentInfo> <EquipmentInitials>BN</EquipmentInitials> <EquipmentNumber>500076</EquipmentNumber> <ReleasedTrack>EJ651</ReleasedTrack> </EquipmentInfo> <Status>Rejected</Status> <ErrorCode>ERROR_RELEASED_TRACK_INVALID_MUST_BE_4_C HARACTERS</ErrorCode> </EquipmentReleaseStatus> </SROReleaseReply> </soapenv:Body> </soapenv:Envelope> </pre>

Error Code	Explanation	Response	Input XML	Output XML
ERROR_AFTERCAR_INVALID	If the AfterCar initials or number is missing for a switch (either they both are valid, or they neither are passed as parameters)	Check AfterCar initials and number specified and resend the message with a corrected or no AfterCar Initial and number parameters.	<pre><SROReleaseRequest> <UserName>USER1234</UserName> <ReleaseSummary> <Date>20061101</Date> <Time>13:09</Time> </ReleaseSummary> <EquipmentReleaseDetail> <EquipmentInfo> <EquipmentInitials>BN</EquipmentInitials> <EquipmentNumber>500076</EquipmentNumber> <ReleasedTrack>EJ61</ReleasedTrack> <AfterCarInitials>BN</AfterCarInitials> <AfterCarNumber></AfterCarNumber> </EquipmentInfo> <LoadEmpty>EMPTY</LoadEmpty> </EquipmentReleaseDetail> <EquipmentReleaseDetail> <EquipmentInfo> <EquipmentInitials>BN</EquipmentInitials> <EquipmentNumber>500077</EquipmentNumber> <ReleasedTrack>EJ61</ReleasedTrack> <AfterCarInitials></AfterCarInitials> <AfterCarNumber>500073</AfterCarNumber> </EquipmentInfo> <LoadEmpty>EMPTY</LoadEmpty> </EquipmentReleaseDetail> <EquipmentReleaseDetail> <EquipmentInfo> <EquipmentInitials>BN</EquipmentInitials> <EquipmentNumber>500078</EquipmentNumber> <ReleasedTrack>EJ61</ReleasedTrack> <AfterCarInitials></AfterCarInitials> <AfterCarNumber>500073</AfterCarNumber> </EquipmentInfo> <LoadEmpty>EMPTY</LoadEmpty> </EquipmentReleaseDetail> <EquipmentReleaseDetail> <EquipmentInfo> <EquipmentInitials>BN</EquipmentInitials> <EquipmentNumber>500079</EquipmentNumber> <ReleasedTrack>EJ61</ReleasedTrack> <AfterCarInitials>BN</AfterCarInitials> <AfterCarNumber></AfterCarNumber> </EquipmentInfo> <LoadEmpty>EMPTY</LoadEmpty> </EquipmentReleaseDetail> </SROReleaseRequest></pre>	<pre><?xml version="1.0" encoding="UTF-8"?> <soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"> <soapenv:Body> <SROReleaseReply xmlns="http://www.cn.ca/SRO/Release"> <ReleaseSummary> <Date>20070215</Date> <Time>11:10</Time> </ReleaseSummary> <EquipmentReleaseStatus> <EquipmentInfo> <EquipmentInitials>BN</EquipmentInitials> <EquipmentNumber>500076</EquipmentNumber> <ReleasedTrack>EJ61</ReleasedTrack> <AfterCarInitials>BN</AfterCarInitials> </EquipmentInfo> <Status>Rejected</Status> <ErrorCode>ERROR_AFTERCAR_INVALID</ErrorCode> </EquipmentReleaseStatus> <EquipmentReleaseStatus> <EquipmentInfo> <EquipmentInitials>BN</EquipmentInitials> <EquipmentNumber>500077</EquipmentNumber> <ReleasedTrack>EJ61</ReleasedTrack> <AfterCarNumber>500073</AfterCarNumber> </EquipmentInfo> <Status>Rejected</Status> <ErrorCode>ERROR_AFTERCAR_INVALID</ErrorCode> </EquipmentReleaseStatus> <EquipmentReleaseStatus> <EquipmentInfo> <EquipmentInitials>BN</EquipmentInitials> <EquipmentNumber>500078</EquipmentNumber> <ReleasedTrack>EJ61</ReleasedTrack> <AfterCarNumber>500073</AfterCarNumber> </EquipmentInfo> <Status>Rejected</Status> <ErrorCode>ERROR_AFTERCAR_INVALID</ErrorCode> </EquipmentReleaseStatus> <EquipmentReleaseStatus> <EquipmentInfo> <EquipmentInitials>BN</EquipmentInitials> <EquipmentNumber>500079</EquipmentNumber> <ReleasedTrack>EJ61</ReleasedTrack> <AfterCarInitials>BN</AfterCarInitials> </EquipmentInfo> <Status>Rejected</Status> <ErrorCode>ERROR_AFTERCAR_INVALID</ErrorCode> </EquipmentReleaseStatus> </SROReleaseReply> </soapenv:Body> </soapenv:Envelope></pre>

Error Code	Explanation	Response	Input XML	Output XML
ERROR_AFTERCAR_INITIALS_MIN_2_MAX_4_CHARACTER_S	If the AfterCar initials is less than 2 or more than 4 characters for a switch.	Check AfterCar initials specified and resend the message with a corrected or different AfterCar Initial.	<pre> <SROReleaseRequest> <UserName>USER1234</UserName> <ReleaseSummary> <Date>20061101</Date> <Time>13:09</Time> </ReleaseSummary> <EquipmentReleaseDetail> <EquipmentInfo> <EquipmentInitials>BN</EquipmentInitials> <EquipmentNumber>500076</EquipmentNumber> <ReleasedTrack>EJ61</ReleasedTrack> <AfterCarInitials>B</AfterCarInitials> <AfterCarNumber>12345</AfterCarNumber> </EquipmentInfo> <LoadEmpty>EMPTY</LoadEmpty> </EquipmentReleaseDetail> <EquipmentReleaseDetail> <EquipmentInfo> <EquipmentInitials>BN</EquipmentInitials> <EquipmentNumber>410023</EquipmentNumber> <ReleasedTrack>EJ61</ReleasedTrack> <AfterCarInitials>bn</AfterCarInitials> <AfterCarNumber>1</AfterCarNumber> </EquipmentInfo> <LoadEmpty>EMPTY</LoadEmpty> </EquipmentReleaseDetail> </SROReleaseRequest> </pre>	<pre> <?xml version="1.0" encoding="UTF-8"?> <soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"> <soapenv:Body> <SROReleaseReply xmlns="http://www.cn.ca/SRO/Release"> <ReleaseSummary> <Date>20070215</Date> <Time>11:13</Time> </ReleaseSummary> <EquipmentReleaseStatus> <EquipmentInfo> <EquipmentInitials>BN</EquipmentInitials> <EquipmentNumber>500076</EquipmentNumber> <ReleasedTrack>EJ61</ReleasedTrack> <AfterCarInitials>B</AfterCarInitials> <AfterCarNumber>12345</AfterCarNumber> </EquipmentInfo> <Status>Rejected</Status> <ErrorCode>ERROR_AFTERCAR_INITIALS_MIN_2_MAX_4_CHARACTERS</ErrorCode> </EquipmentReleaseStatus> </EquipmentReleaseStatus> <EquipmentInfo> <EquipmentInitials>BN</EquipmentInitials> <EquipmentNumber>410023</EquipmentNumber> <ReleasedTrack>EJ61</ReleasedTrack> <AfterCarInitials>1</AfterCarInitials> <AfterCarNumber>12345</AfterCarNumber> </EquipmentInfo> <Status>Rejected</Status> <ErrorCode>ERROR_AFTERCAR_INITIALS_MIN_2_MAX_4_CHARACTERS</ErrorCode> </EquipmentReleaseStatus> </SROReleaseReply> </soapenv:Body> </soapenv:Envelope> </pre>

Error Code	Explanation	Response	Input XML	Output XML
ERROR_AFTERCAR_NUMBER_MIN_1_MAX_6_CHARACTER_S	If the AfterCar number is less than 1 or more than 6 characters for a switch.	Check AfterCar number specified and resend the message with a corrected or different AfterCar Initial.	<pre> <SROReleaseRequest> <UserName>USER1234</UserName> <ReleaseSummary> <Date>20061101</Date> <Time>13:09</Time> </ReleaseSummary> <EquipmentReleaseDetail> <EquipmentInfo> <EquipmentInitials>BN</EquipmentInitials> <EquipmentNumber>500081</EquipmentNumber> <ReleasedTrack>EJ61</ReleasedTrack> <AfterCarInitials>BN</AfterCarInitials> <AfterCarNumber>1234567</AfterCarNumber> </EquipmentInfo> <LoadEmpty>EMPTY</LoadEmpty> </EquipmentReleaseDetail> </SROReleaseRequest> </pre>	<pre> <?xml version="1.0" encoding="UTF-8"?> <soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"> <soapenv:Body> <SROReleaseReply xmlns="http://www.cn.ca/SRO/Release"> <ReleaseSummary> <Date>20070215</Date> <Time>11:16</Time> </ReleaseSummary> <EquipmentReleaseStatus> <EquipmentInfo> <EquipmentInitials>BN</EquipmentInitials> <EquipmentNumber>500081</EquipmentNumber> <ReleasedTrack>EJ61</ReleasedTrack> <AfterCarInitials>BN</AfterCarInitials> <AfterCarNumber>1234567</AfterCarNumber> </EquipmentInfo> <Status>Rejected</Status> <ErrorCode>ERROR_AFTERCAR_NUMBER_MIN_1_MAX_6_CHARACTERS</ErrorCode> </EquipmentReleaseStatus> </SROReleaseReply> </soapenv:Body> </soapenv:Envelope> </pre>

Error Code	Explanation	Response	Input XML	Output XML
ERROR_CANNOT_RELEASE_AS_A_LOAD	If the car number is released or switched/released as an empty car.	Check the empty status to load status and resend the message.	<pre> <SROReleaseRequest> <UserName>USER1234</UserName> <ReleaseSummary> <Date>20061101</Date> <Time>13:09</Time> </ReleaseSummary> <EquipmentReleaseDetail> <EquipmentInfo> <EquipmentInitials>BN</EquipmentInitials> <EquipmentNumber>500077</EquipmentNumber> <ReleasedTrack></ReleasedTrack> <AfterCarInitials></AfterCarInitials> <AfterCarNumber></AfterCarNumber> </EquipmentInfo> <LoadEmpty>LOAD</LoadEmpty> </EquipmentReleaseDetail> <EquipmentReleaseDetail> <EquipmentInfo> <EquipmentInitials>BN</EquipmentInitials> <EquipmentNumber>500057</EquipmentNumber> </EquipmentInfo> <LoadEmpty>LOAD</LoadEmpty> </EquipmentReleaseDetail> <EquipmentReleaseDetail> <EquipmentInfo> <EquipmentInitials>BN</EquipmentInitials> <EquipmentNumber>500079</EquipmentNumber> <ReleasedTrack>EJ61</ReleasedTrack> <AfterCarInitials></AfterCarInitials> <AfterCarNumber></AfterCarNumber> </EquipmentInfo> <LoadEmpty>LOAD</LoadEmpty> </EquipmentReleaseDetail> <EquipmentReleaseDetail> <EquipmentInfo> <EquipmentInitials>BN</EquipmentInitials> <EquipmentNumber>500076</EquipmentNumber> <ReleasedTrack>EJ61</ReleasedTrack> <AfterCarInitials>bn</AfterCarInitials> <AfterCarNumber>500073</AfterCarNumber> </EquipmentInfo> <LoadEmpty>LOAD</LoadEmpty> </EquipmentReleaseDetail> </SROReleaseRequest> </pre>	<pre> <?xml version="1.0" encoding="UTF-8"?> <soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"> <soapenv:Body> <SROReleaseReply xmlns="http://www.cn.ca/SRO/Release"> <ReleaseSummary> <Date>20070215</Date> <Time>11:20</Time> </ReleaseSummary> <EquipmentReleaseStatus> <EquipmentInfo> <EquipmentInitials>BN</EquipmentInitials> <EquipmentNumber>500077</EquipmentNumber> </EquipmentInfo> <Status>Rejected</Status> </EquipmentReleaseStatus> <EquipmentReleaseStatus> <EquipmentInfo> <EquipmentInitials>BN</EquipmentInitials> <EquipmentNumber>500057</EquipmentNumber> </EquipmentInfo> <Status>Rejected</Status> </EquipmentReleaseStatus> <EquipmentReleaseStatus> <EquipmentInfo> <EquipmentInitials>BN</EquipmentInitials> <EquipmentNumber>500079</EquipmentNumber> <ReleasedTrack>EJ61</ReleasedTrack> </EquipmentInfo> <Status>Rejected</Status> </EquipmentReleaseStatus> <EquipmentReleaseStatus> <EquipmentInfo> <EquipmentInitials>BN</EquipmentInitials> <EquipmentNumber>500076</EquipmentNumber> <ReleasedTrack>EJ61</ReleasedTrack> <AfterCarInitials>BN</AfterCarInitials> <AfterCarNumber>500073</AfterCarNumber> </EquipmentInfo> <Status>Rejected</Status> </EquipmentReleaseStatus> </SROReleaseReply> </soapenv:Body> </soapenv:Envelope> </pre>

Error Code	Explanation	Response	Input XML	Output XML
ERROR_SWITCH_TO_TRACK_NOT_FOUND_FOR_USER	If the car is not found for all the tracks allowed for switching by the user.	Check the track specified for switching and resend the message with a corrected or different track number.	<pre><SROReleaseRequest> <UserName>USER1234</UserName> <ReleaseSummary> <Date>20061101</Date> <Time>13:09</Time> </ReleaseSummary> <EquipmentReleaseDetail> <EquipmentInfo> <EquipmentInitials>BN</EquipmentInitials> <EquipmentNumber>500077</EquipmentNumber> <ReleasedTrack>1234</ReleasedTrack> <AfterCarInitials></AfterCarInitials> <AfterCarNumber></AfterCarNumber> </EquipmentInfo> <LoadEmpty>EMPTY</LoadEmpty> </EquipmentReleaseDetail> </SROReleaseRequest></pre>	<pre><?xml version="1.0" encoding="UTF-8"?> <soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"> <soapenv:Body> <SROReleaseReply xmlns="http://www.cn.ca/SRO/Release"> <ReleaseSummary> <Date>20070215</Date> <Time>11:21</Time> </ReleaseSummary> <EquipmentReleaseStatus> <EquipmentInfo> <EquipmentInitials>BN</EquipmentInitials> <EquipmentNumber>500077</EquipmentNumber> <ReleasedTrack>1234</ReleasedTrack> </EquipmentInfo> <Status>Rejected</Status> <ErrorCode>ERROR_SWITCH_TO_TRACK_NOT_FOUND_FOR_US ER</ErrorCode> </EquipmentReleaseStatus> </SROReleaseReply> </soapenv:Body> </soapenv:Envelope></pre>
ERROR_LID_NUMBER_IS_REQUIRED	If the car is required for lid number.	Check the car in Pools that is required to enter the cover number.	<pre><SROReleaseRequest> <UserName>USER1234</UserName> <ReleaseSummary> <Date>20061101</Date> <Time>13:09</Time> </ReleaseSummary> <EquipmentReleaseDetail> <EquipmentInfo> <EquipmentInitials>BN</EquipmentInitials> <EquipmentNumber>500077</EquipmentNumber> </EquipmentInfo> <LoadEmpty>EMPTY</LoadEmpty> </EquipmentReleaseDetail> </SROReleaseRequest></pre>	<pre><?xml version="1.0" encoding="UTF-8"?> <soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"> <soapenv:Body> <SROReleaseReply xmlns="http://www.cn.ca/SRO/Release"> <ReleaseSummary> <Date>20070215</Date> <Time>11:21</Time> </ReleaseSummary> <EquipmentReleaseStatus> <EquipmentInfo> <EquipmentInitials>BN</EquipmentInitials> <EquipmentNumber>500077</EquipmentNumber> </EquipmentInfo> <Status>Rejected</Status> <ErrorCode>ERROR_LID_NUMBER_IS_REQUIRED</ErrorCode> </EquipmentReleaseStatus> </SROReleaseReply> </soapenv:Body> </soapenv:Envelope></pre>

Error Code	Explanation	Response	Input XML	Output XML
ERROR_LID_NUMBER_INVALID	If the car is required for lid number.	Check the car in Pools that is required to enter the cover number. Each pool id has the valid prefix	<pre><SROReleaseRequest> <UserName>USER1234</UserName> <ReleaseSummary> <Date>20061101</Date> <Time>13:09</Time> </ReleaseSummary> <EquipmentReleaseDetail> <EquipmentInfo> <EquipmentInitials>BN</EquipmentInitials> <EquipmentNumber>500077</EquipmentNumber> </EquipmentInfo> <LoadEmpty>EMPTY</LoadEmpty> <LidNumber>AB1234</LidNumber> </EquipmentReleaseDetail> </SROReleaseRequest></pre>	<pre><?xml version="1.0" encoding="UTF-8"?> <soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"> <soapenv:Body> <SROReleaseReply xmlns="http://www.cn.ca/SRO/Release"> <ReleaseSummary> <Date>20070215</Date> <Time>11:21</Time> </ReleaseSummary> <EquipmentReleaseStatus> <EquipmentInfo> <EquipmentInitials>BN</EquipmentInitials> <EquipmentNumber>500077</EquipmentNumber> </EquipmentInfo> <Status>Rejected</Status> <ErrorCode>ERROR_LID_NUMBER_INVALID</ErrorCode> </EquipmentReleaseStatus> </SROReleaseReply> </soapenv:Body> </soapenv:Envelope></pre>
ERROR_LID_NUMBER_CONTAINS_ILLEGAL_CHARACTERS	If the car is required for lid number	Check the car in Pools that is required to enter the cover number. Each pool id has the valid prefix. Check the LidNumber for illegal characters, like: \$#%^&@! Etc...	<pre><SROReleaseRequest> <UserName>USER1234</UserName> <ReleaseSummary> <Date>20061101</Date> <Time>13:09</Time> </ReleaseSummary> <EquipmentReleaseDetail> <EquipmentInfo> <EquipmentInitials>BN</EquipmentInitials> <EquipmentNumber>500077</EquipmentNumber> </EquipmentInfo> <LoadEmpty>EMPTY</LoadEmpty> <LidNumber>AB2\$34</LidNumber> </EquipmentReleaseDetail> </SROReleaseRequest></pre>	<pre><?xml version="1.0" encoding="UTF-8"?> <soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"> <soapenv:Body> <SROReleaseReply xmlns="http://www.cn.ca/SRO/Release"> <ReleaseSummary> <Date>20070215</Date> <Time>11:21</Time> </ReleaseSummary> <EquipmentReleaseStatus> <EquipmentInfo> <EquipmentInitials>BN</EquipmentInitials> <EquipmentNumber>500077</EquipmentNumber> </EquipmentInfo> <Status>Rejected</Status> <ErrorCode>ERROR_LID_NUMBER_CONTAINS_ILLEGAL_CHARACTERS</ErrorCode> </EquipmentReleaseStatus> </SROReleaseReply> </soapenv:Body> </soapenv:Envelope></pre>

Error Code	Explanation	Response	Input XML	Output XML
ERROR_LID_NUMBER_MUST_CONTAINS_SIX_ALPHA_CHARACTERS	If the car is required for lid number.	Check the car in Pools that is required to enter the cover number. Each pool id has the valid prefix. Check the LidNumber that is not more or less than 6 alpha characters as length	<pre><SROReleaseRequest> <UserName>USER1234</UserName> <ReleaseSummary> <Date>20061101</Date> <Time>13:09</Time> </ReleaseSummary> <EquipmentReleaseDetail> <EquipmentInfo> <EquipmentInitials>BN</EquipmentInitials> <EquipmentNumber>500077</EquipmentNumber> </EquipmentInfo> <LoadEmpty>EMPTY</LoadEmpty> <LidNumber>AB12345</LidNumber> </EquipmentReleaseDetail> </SROReleaseRequest></pre>	<pre><?xml version="1.0" encoding="UTF-8"?> <soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"> <soapenv:Body> <SROReleaseReply xmlns="http://www.cn.ca/SRO/Release"> <ReleaseSummary> <Date>20070215</Date> <Time>11:21</Time> </ReleaseSummary> <EquipmentReleaseStatus> <EquipmentInfo> <EquipmentInitials>BN</EquipmentInitials> <EquipmentNumber>500077</EquipmentNumber> </EquipmentInfo> <Status>Rejected</Status> <ErrorCode>ERROR_LID_NUMBER_MUST_CONTAINS_SIX_ALPHA_CHARACTERS</ErrorCode> </EquipmentReleaseStatus> </SROReleaseReply> </soapenv:Body> </soapenv:Envelope></pre>

<p>ERROR_RELEASE_CODE_INV ALID</p>	<p>If the release code is invalid</p>	<p>The release code available: - BA : Release-Side Doors(Box Type Cars) - BC : Release-Wood Lining - BD : Release-Account Dirty - BE : Release-Bulkheads Defective - BG : Release-Bad End Gates - BJ : Release-Floor Defective - BL : Release-Hatch Covers - BM: Reject-Unloading System-Full Load - BN : Reject-Unloading system-Partial Load - BP : Release-Roof Defective - BS : Release-Hopper Gates Defective - BV : Release-Unloading System - BW : Release-Lining Hopper - DE : Release-Declared Empty - CP : Release-Cleaned and Purged - RD : Release-I Will Reload This Car - PR : Release- Placards have been removed</p> <p>Note: DE is available for Version 1 Note: BM, BN only valid with LoadEmpty = LOAD</p>	<pre><SROReleaseRequest> <UserName>user_1234</UserName> <ReleaseSummary> <Date>20081021</Date> <Time>13:09</Time> </ReleaseSummary> <EquipmentReleaseDetail> <EquipmentInfo> <EquipmentInitials>CN</EquipmentInitials> <EquipmentNumber>401796</EquipmentNumber> </EquipmentInfo> <LoadEmpty>EMPTY</LoadEmpty> <LidNumber>FC2222</LidNumber> <ReleaseCode>NN</ReleaseCode> <ReleaseDetail></ReleaseDetail> </EquipmentReleaseDetail> </SROReleaseRequest> <SROReleaseRequest> <UserName>user_1234</UserName> <ReleaseSummary> <Date>20081021</Date> <Time>13:09</Time> </ReleaseSummary> <EquipmentReleaseDetail> <EquipmentInfo> <EquipmentInitials>CN</EquipmentInitials> <EquipmentNumber>369254</EquipmentNumber> </EquipmentInfo> <LoadEmpty>LOAD</LoadEmpty> <ReleaseCode>BA</ReleaseCode> <ReleaseDetail></ReleaseDetail> </EquipmentReleaseDetail> </SROReleaseRequest></pre>	<pre><?xml version="1.0" encoding="UTF-8"?> <soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"> <soapenv:Body> <SROReleaseReply xmlns="http://www.cn.ca/SRO/Release"> <ReleaseSummary> <Date>20070215</Date> <Time>11:21</Time> </ReleaseSummary> <EquipmentReleaseStatus> <EquipmentInfo> <EquipmentInitials>CN</EquipmentInitials> <EquipmentNumber>401796</EquipmentNumber> </EquipmentInfo> <Status>Rejected</Status> </EquipmentReleaseStatus> </SROReleaseReply> </soapenv:Body> </soapenv:Envelope></pre>
--	---	--	--	--

<p>ERROR_RELEASE_CODE_IS_REQUIRED</p>	<p>If the release detail is provided but the release code is missing</p>	<p>The release code available:</p> <ul style="list-style-type: none"> - BA : Release-Side Doors(Box Type Cars) - BC : Release-Wood Lining - BD : Release-Account Dirty - BE : Release-Bulkheads Defective - BG : Release-Bad End Gates - BJ : Release-Floor Defective - BL : Release-Hatch Covers - BM: Reject-Unloading System-Full Load - BN : Reject-Unloading system-Partial Load - BP : Release-Roof Defective - BS : Release-Hopper Gates Defective - BV : Release-Unloading System - BW : Release-Lining Hopper - DE : Release-Declared Empty - CP : Release-Cleaned and Purged - RD : Release-I Will Reload This Car - PR : Release- Placards have been removed <p>Note: DE is available for Version 1 Note: BM, BN only valid with LoadEmpty = LOAD</p>	<pre> <SROReleaseRequest> <UserName>user_1234</UserName> <ReleaseSummary> <Date>20081021</Date> <Time>13:09</Time> </ReleaseSummary> <EquipmentReleaseDetail> <EquipmentInfo> <EquipmentInitials>CN</EquipmentInitials> <EquipmentNumber>401796</EquipmentNumber> </EquipmentInfo> <LoadEmpty>EMPTY</LoadEmpty> <LidNumber>FC2222</LidNumber> <ReleaseCode></ReleaseCode> <ReleaseDetail>test</ReleaseDetail> </EquipmentReleaseDetail> </SROReleaseRequest> <SROReleaseRequest> <UserName>user_1234</UserName> <ReleaseSummary> <Date>20081021</Date> <Time>13:09</Time> </ReleaseSummary> <EquipmentReleaseDetail> <EquipmentInfo> <EquipmentInitials>CN</EquipmentInitials> <EquipmentNumber>300010</EquipmentNumber> </EquipmentInfo> <LoadEmpty>LOAD</LoadEmpty> <ReleaseCode></ReleaseCode> <ReleaseDetail>test</ReleaseDetail> </EquipmentReleaseDetail> </SROReleaseRequest> </pre>	<pre> <?xml version="1.0" encoding="UTF-8"?> <soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"> <soapenv:Body> <SROReleaseReply xmlns="http://www.cn.ca/SRO/Release"> <ReleaseSummary> <Date>20070215</Date> <Time>11:21</Time> </ReleaseSummary> <EquipmentReleaseStatus> <EquipmentInfo> <EquipmentInitials>CN</EquipmentInitials> <EquipmentNumber>401796</EquipmentNumber> </EquipmentInfo> <Status>Rejected</Status> </EquipmentReleaseStatus> <ErrorCode> ERROR_RELEASE_CODE_IS_REQUIRED</ErrorCode> </SROReleaseReply> </soapenv:Body> </soapenv:Envelope> </pre>
---------------------------------------	--	--	--	---

<p>ERROR_RELEASE_CODE_MUST_CONTAIN_ONLY_2_CHARACTERS</p>	<p>If the release code contains more than two characters</p>	<p>The release code available:</p> <ul style="list-style-type: none"> - BA : Release-Side Doors(Box Type Cars) - BC : Release-Wood Lining - BD : Release-Account Dirty - BE : Release-Bulkheads Defective - BG : Release-Bad End Gates - BJ : Release-Floor Defective - BL : Release-Hatch Covers - BM: Reject-Unloading System-Full Load - BN : Reject-Unloading system-Partial Load - BP : Release-Roof Defective - BS : Release-Hopper Gates Defective - BV : Release-Unloading System - BW : Release-Lining Hopper - DE : Release-Declared Empty - CP : Release-Cleaned and Purged - RD : Release-I Will Reload This Car - PR : Release- Placards have been removed <p>Note: DE is available for Version 1 Note: BM, BN only valid with LoadEmpty = LOAD</p>	<pre> <SROReleaseRequest> <UserName>user_1234</UserName> <ReleaseSummary> <Date>20081021</Date> <Time>13:09</Time> </ReleaseSummary> <EquipmentReleaseDetail> <EquipmentInfo> <EquipmentInitials>CN</EquipmentInitials> <EquipmentNumber>401796</EquipmentNumber> </EquipmentInfo> <LoadEmpty>EMPTY</LoadEmpty> <LidNumber>FC2222</LidNumber> <ReleaseCode>BCC</ReleaseCode> <ReleaseDetail></ReleaseDetail> </EquipmentReleaseDetail> </SROReleaseRequest> <SROReleaseRequest> <UserName>user_1234</UserName> <ReleaseSummary> <Date>20081021</Date> <Time>13:09</Time> </ReleaseSummary> <EquipmentReleaseDetail> <EquipmentInfo> <EquipmentInitials>CN</EquipmentInitials> <EquipmentNumber>951257</EquipmentNumber> </EquipmentInfo> <LoadEmpty>LOAD</LoadEmpty> <ReleaseCode>BMM</ReleaseCode> <ReleaseDetail></ReleaseDetail> </EquipmentReleaseDetail> </SROReleaseRequest> </pre>	<pre> <?xml version="1.0" encoding="UTF-8"?> <soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"> <soapenv:Body> <SROReleaseReply xmlns="http://www.cn.ca/SRO/Release"> <ReleaseSummary> <Date>20070215</Date> <Time>11:21</Time> </ReleaseSummary> <EquipmentReleaseStatus> <EquipmentInfo> <EquipmentInitials>CN</EquipmentInitials> <EquipmentNumber>401796</EquipmentNumber> </EquipmentInfo> <Status>Rejected</Status> </EquipmentReleaseStatus> </SROReleaseReply> </soapenv:Body> </soapenv:Envelope> <ErrorCode> ERROR_RELEASE_CODE_MUST_CONTAIN_ONLY_2_CHARACTERS</ ErrorCode> </ErrorCode> </pre>
--	--	---	--	---

<p>ERROR_RELEASE_DETAIL_CONTAIN_MAX_215_CHARACTERS</p>	<p>If the release detail contains more than 215 characters</p>	<p>Maximum length of the release detail must be less than 216 characters</p>	<pre><SROReleaseRequest> <UserName>user_1234</UserName> <ReleaseSummary> <Date>20081021</Date> <Time>13:09</Time> </ReleaseSummary> <EquipmentReleaseDetail> <EquipmentInfo> <EquipmentInitials>CN</EquipmentInitials> <EquipmentNumber>401796</EquipmentNumber> </EquipmentInfo> <LoadEmpty>EMPTY</LoadEmpty> <LidNumber>FC2222</LidNumber> <ReleaseCode>BC</ReleaseCode> <ReleaseDetail> this is a test ederfehgfaweaaghjuhyhyff12ae31fea847e31fa5498a47fa13a1fea8746131v6r4497a1fe5a7a86e6f1awe6a4fa8ea6fe1fa6458r6a161r5a6eaweffaeat4849h6j4i6i779646t469t76r46a5f1fa6t79y6796gg1h6yyy76g6g1gh65h4646r634993ggg5ygggyaefa </ReleaseDetail> </EquipmentReleaseDetail> </SROReleaseRequest></pre>	<pre><?xml version="1.0" encoding="UTF-8"?> <soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"> <soapenv:Body> <SROReleaseReply xmlns="http://www.cn.ca/SRO/Release"> <ReleaseSummary> <Date>20070215</Date> <Time>11:21</Time> </ReleaseSummary> <EquipmentReleaseStatus> <EquipmentInfo> <EquipmentInitials>CN</EquipmentInitials> <EquipmentNumber>401796</EquipmentNumber> </EquipmentInfo> <Status>Rejected</Status> <ErrorCode> ERROR_RELEASE_DETAIL_CONTAIN_MAX_215_CHARACTERS </ErrorCode> </EquipmentReleaseStatus> </SROReleaseReply> </soapenv:Body> </soapenv:Envelope></pre>
<p>ERROR_WEIGHT_AND_UOM_ARE_REQUIRED</p>	<p>If the release weight and unit of measure are required for releasing</p>	<p>The residue weight and unit of measure are required. The units of measure available: - KG: Kilograms - LB: Pounds - ST: Short Tons - LT: Long Tons - MT: Metric Tons</p>	<pre><SROReleaseRequest> <UserName>user_1234</UserName> <ReleaseSummary> <Date>20081021</Date> <Time>13:09</Time> </ReleaseSummary> <EquipmentReleaseDetail> <EquipmentInfo> <EquipmentInitials>CN</EquipmentInitials> <EquipmentNumber>401796</EquipmentNumber> </EquipmentInfo> <LoadEmpty>EMPTY</LoadEmpty> <LidNumber>FC2222</LidNumber> <ReleaseCode>BC</ReleaseCode> <ReleaseDetail> this is a test</ReleaseDetail> </EquipmentReleaseDetail> </SROReleaseRequest></pre>	<pre><?xml version="1.0" encoding="UTF-8"?> <soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"> <soapenv:Body> <SROReleaseReply xmlns="http://www.cn.ca/SRO/Release"> <ReleaseSummary> <Date>20070215</Date> <Time>11:21</Time> </ReleaseSummary> <EquipmentReleaseStatus> <EquipmentInfo> <EquipmentInitials>CN</EquipmentInitials> <EquipmentNumber>401796</EquipmentNumber> </EquipmentInfo> <Status>Rejected</Status> <ErrorCode>ERROR_WEIGHT_AND_UOM_ARE_REQUIRED </ErrorCode> </EquipmentReleaseStatus> </SROReleaseReply> </soapenv:Body> </soapenv:Envelope></pre>

<p>ERROR_WEIGHT_MUST_BE_NUMERIC</p>	<p>If weight contains invalids characters</p>	<p>The weight provided must be a numeric</p>	<pre><SROReleaseRequest> <UserName>user_1234</UserName> <ReleaseSummary> <Date>20081021</Date> <Time>13:09</Time> </ReleaseSummary> <EquipmentReleaseDetail> <EquipmentInfo> <EquipmentInitials>CN</EquipmentInitials> <EquipmentNumber>401796</EquipmentNumber> </EquipmentInfo> <LoadEmpty>EMPTY</LoadEmpty> <LidNumber>FC2222</LidNumber> <ReleaseCode>BC</ReleaseCode> <ReleaseDetail> this is a test</ReleaseDetail> <ResidueWeight> <Weight>123A</Weight> <WeightUOM>KG</WeightUOM> </ResidueWeight> </EquipmentReleaseDetail> </SROReleaseRequest></pre>	<pre><?xml version="1.0" encoding="UTF-8"?> <soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"> <soapenv:Body> <SROReleaseReply xmlns="http://www.cn.ca/SRO/Release"> <ReleaseSummary> <Date>20070215</Date> <Time>11:21</Time> </ReleaseSummary> <EquipmentReleaseStatus> <EquipmentInfo> <EquipmentInitials>CN</EquipmentInitials> <EquipmentNumber>401796</EquipmentNumber> </EquipmentInfo> <Status>Rejected</Status> <ErrorCode> ERROR_WEIGHT_MUST_BE_NUMERIC </ErrorCode> </EquipmentReleaseStatus> </SROReleaseReply> </soapenv:Body> </soapenv:Envelope></pre>
<p>ERROR_WEIGHT_MIN_1_MAX_8_DIGITS</p>	<p>If weight provided is empty or more than 8 digits</p>	<p>The weight must be in range 1 to 8 digits</p>	<pre><SROReleaseRequest> <UserName>user_1234</UserName> <ReleaseSummary> <Date>20081021</Date> <Time>13:09</Time> </ReleaseSummary> <EquipmentReleaseDetail> <EquipmentInfo> <EquipmentInitials>CN</EquipmentInitials> <EquipmentNumber>401796</EquipmentNumber> </EquipmentInfo> <LoadEmpty>EMPTY</LoadEmpty> <ReleaseCode>BC</ReleaseCode> <ReleaseDetail> this is a test</ReleaseDetail> <ResidueWeight> <Weight></Weight> <WeightUOM>KG</WeightUOM> </ResidueWeight> </EquipmentReleaseDetail> </SROReleaseRequest></pre>	<pre><?xml version="1.0" encoding="UTF-8"?> <soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"> <soapenv:Body> <SROReleaseReply xmlns="http://www.cn.ca/SRO/Release"> <ReleaseSummary> <Date>20070215</Date> <Time>11:21</Time> </ReleaseSummary> <EquipmentReleaseStatus> <EquipmentInfo> <EquipmentInitials>CN</EquipmentInitials> <EquipmentNumber>401796</EquipmentNumber> </EquipmentInfo> <Status>Rejected</Status> <ErrorCode> ERROR_WEIGHT_MIN_1_MAX_8_DIGITS </ErrorCode> </EquipmentReleaseStatus> </SROReleaseReply> </soapenv:Body> </soapenv:Envelope></pre>

<p>ERROR_UNIT_OF_MEASURE_IS_INVALID</p>	<p>If the unit of measure is not provided or contains an invalid code</p>	<p>The units of measure available: - KG: Kilograms - LB: Pounds - ST: Short Tons - LT: Long Tons - MT: Metric Tons</p>	<pre><SROReleaseRequest> <UserName>user_1234</UserName> <ReleaseSummary> <Date>20081021</Date> <Time>13:09</Time> </ReleaseSummary> <EquipmentReleaseDetail> <EquipmentInfo> <EquipmentInitials>CN</EquipmentInitials> <EquipmentNumber>401796</EquipmentNumber> </EquipmentInfo> <LoadEmpty>EMPTY</LoadEmpty> <LidNumber>FC2222</LidNumber> <ReleaseCode>BC</ReleaseCode> <ReleaseDetail> this is a test</ReleaseDetail> <ResidueWeight> <Weight>1500</Weight> <WeightUOM>AA</WeightUOM> </ResidueWeight> </EquipmentReleaseDetail> </SROReleaseRequest></pre>	<pre><?xml version="1.0" encoding="UTF-8"?> <soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"> <soapenv:Body> <SROReleaseReply xmlns="http://www.cn.ca/SRO/Release"> <ReleaseSummary> <Date>20070215</Date> <Time>11:21</Time> </ReleaseSummary> <EquipmentReleaseStatus> <EquipmentInfo> <EquipmentInitials>CN</EquipmentInitials> <EquipmentNumber>401796</EquipmentNumber> </EquipmentInfo> <Status>Rejected</Status> <ErrorCode> ERROR_UNIT_OF_MEASURE_IS_INVALID </ErrorCode> </EquipmentReleaseStatus> </SROReleaseReply> </soapenv:Body> </soapenv:Envelope></pre>
<p>ERROR_RESIDUE_WEIGHT_EXCEEDED_MAX_CAPACITY</p>	<p>If the input weight is more than 7% of car limit capacity for gondolas, hoppers and tanks originating in Canada</p>	<p>The car could not be released if the residue weight is above 7% of capacity</p>	<pre><SROReleaseRequest> <UserName>user_1234</UserName> <ReleaseSummary> <Date>20081021</Date> <Time>13:09</Time> </ReleaseSummary> <EquipmentReleaseDetail> <EquipmentInfo> <EquipmentInitials>CN</EquipmentInitials> <EquipmentNumber>401796</EquipmentNumber> </EquipmentInfo> <LoadEmpty>EMPTY</LoadEmpty> <LidNumber>FC2222</LidNumber> <ReleaseCode>BC</ReleaseCode> <ResidueWeight> <Weight>1500</Weight> <WeightUOM>MT</WeightUOM> </ResidueWeight> </EquipmentReleaseDetail> </SROReleaseRequest></pre>	<pre><?xml version="1.0" encoding="UTF-8"?> <soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"> <soapenv:Body> <SROReleaseReply xmlns="http://www.cn.ca/SRO/Release"> <ReleaseSummary> <Date>20070215</Date> <Time>11:21</Time> </ReleaseSummary> <EquipmentReleaseStatus> <EquipmentInfo> <EquipmentInitials>CN</EquipmentInitials> <EquipmentNumber>401796</EquipmentNumber> </EquipmentInfo> <Status>Rejected</Status> <ErrorCode> ERROR_RESIDUE_WEIGHT_EXCEEDED_MAX_CAPACITY </ErrorCode> </EquipmentReleaseStatus> </SROReleaseReply> </soapenv:Body> </soapenv:Envelope></pre>

<p>ERROR_NOT_ALLOW_DECLARED_EMPTY</p>	<p>Do not allow using the release code "DE" for releasing tank cars or car that contains dangerous goods.</p>	<p>The residue weight is required. Or use "Cleaned and Purged" as release code for releasing that car.</p> <p>- CP: Release-Cleaned and Purged</p>	<pre><SROReleaseRequest> <UserName>user_1234</UserName> <ReleaseSummary> <Date>20081021</Date> <Time>13:09</Time> </ReleaseSummary> <EquipmentReleaseDetail> <EquipmentInfo> <EquipmentInitials>CN</EquipmentInitials> <EquipmentNumber>401796</EquipmentNumber> </EquipmentInfo> <LoadEmpty>EMPTY</LoadEmpty> <LidNumber>FC2222</LidNumber> <ReleaseCode>DE</ReleaseCode> <ReleaseDetail> this is a test</ReleaseDetail> </EquipmentReleaseDetail> </SROReleaseRequest></pre>	<pre><?xml version="1.0" encoding="UTF-8"?> <soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"> <soapenv:Body> <SROReleaseReply xmlns="http://www.cn.ca/SRO/Release"> <ReleaseSummary> <Date>20070215</Date> <Time>11:21</Time> </ReleaseSummary> <EquipmentReleaseStatus> <EquipmentInfo> <EquipmentInitials>CN</EquipmentInitials> <EquipmentNumber>401796</EquipmentNumber> </EquipmentInfo> <Status>Rejected</Status> <ErrorCode> ERROR_NOT_ALLOW_DECLARED_EMPTY </ErrorCode> </EquipmentReleaseStatus> </SROReleaseReply> </soapenv:Body> </soapenv:Envelope></pre>
<p>ERROR_DANGEROUS_CAR_NEEDS_CLEAN_AND_PURGE</p>	<p>Do not allow release car that contains dangerous goods.</p>	<p>Use "Cleaned and Purged" as release code for releasing that car.</p> <p>- CP: Release-Cleaned and Purged</p>	<pre><SROReleaseRequest> <UserName>user_1234</UserName> <ReleaseSummary> <Date>20081021</Date> <Time>13:09</Time> </ReleaseSummary> <EquipmentReleaseDetail> <EquipmentInfo> <EquipmentInitials>CN</EquipmentInitials> <EquipmentNumber>401796</EquipmentNumber> </EquipmentInfo> <LoadEmpty>EMPTY</LoadEmpty> </EquipmentReleaseDetail> </SROReleaseRequest></pre>	<pre><?xml version="1.0" encoding="UTF-8"?> <soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"> <soapenv:Body> <SROReleaseReply xmlns="http://www.cn.ca/SRO/Release"> <ReleaseSummary> <Date>20070215</Date> <Time>11:21</Time> </ReleaseSummary> <EquipmentReleaseStatus> <EquipmentInfo> <EquipmentInitials>CN</EquipmentInitials> <EquipmentNumber>401796</EquipmentNumber> </EquipmentInfo> <Status>Rejected</Status> <ErrorCode> ERROR_DANGEROUS_CAR_NEEDS_CLEAN_AND_PURGE </ErrorCode> </EquipmentReleaseStatus> </SROReleaseReply> </soapenv:Body> </soapenv:Envelope></pre>

<p>ERROR_NOT_ALLOWED_CLEAN_AND_PURGE</p>	<p>If use CP for releasing a car that do not contain dangerous goods.</p>	<p>"Cleaned and Purged" could be used only for dangerous car.</p>	<pre><SROReleaseRequest> <UserName>user_1234</UserName> <ReleaseSummary> <Date>20081021</Date> <Time>13:09</Time> </ReleaseSummary> <EquipmentReleaseDetail> <EquipmentInfo> <EquipmentInitials>CN</EquipmentInitials> <EquipmentNumber>401796</EquipmentNumber> </EquipmentInfo> <LoadEmpty>EMPTY</LoadEmpty> <ReleaseCode>CP</ReleaseCode> </EquipmentReleaseDetail> </SROReleaseRequest></pre>	<pre><?xml version="1.0" encoding="UTF-8"?> <soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"> <soapenv:Body> <SROReleaseReply xmlns="http://www.cn.ca/SRO/Release"> <ReleaseSummary> <Date>20070215</Date> <Time>11:21</Time> </ReleaseSummary> <EquipmentReleaseStatus> <EquipmentInfo> <EquipmentInitials>CN</EquipmentInitials> <EquipmentNumber>401796</EquipmentNumber> </EquipmentInfo> <Status>Rejected</Status> </EquipmentReleaseStatus> </SROReleaseReply> </soapenv:Body> </soapenv:Envelope> <ErrorCode> ERROR_NOT_ALLOWED_CLEAN_AND_PURGE </ErrorCode></pre>
<p>ERROR_VERSION_NUMBER</p>	<p>XML Version is invalid</p>	<p>Support version number: 0 or 1 - 0: No validation on residue weight - 1: Required residue weight validation for Customs residue</p>	<pre><SROReleaseRequest> <UserName>user_1234</UserName> <ReleaseSummary> <Date>20081021</Date> <Time>13:09</Time> <Version>11</Version > </ReleaseSummary> <EquipmentReleaseDetail> <EquipmentInfo> <EquipmentInitials>CN</EquipmentInitials> <EquipmentNumber>401796</EquipmentNumber> </EquipmentInfo> <LoadEmpty>EMPTY</LoadEmpty> </EquipmentReleaseDetail> </SROReleaseRequest></pre>	<pre><?xml version="1.0" encoding="UTF-8"?> <soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"> <soapenv:Body> <SROReleaseReply xmlns="http://www.cn.ca/SRO/Release"> <ReleaseSummary> <Date>20070215</Date> <Time>11:21</Time> </ReleaseSummary> <EquipmentReleaseStatus> <EquipmentInfo> <EquipmentInitials>__</EquipmentInitials> <EquipmentNumber>0</EquipmentNumber> </EquipmentInfo> <Status>Rejected</Status> </EquipmentReleaseStatus> </SROReleaseReply> </soapenv:Body> </soapenv:Envelope> <ErrorCode> ERROR_VERSION_NUMBER </ErrorCode></pre>

<p>ERROR_VERSION_NOT_SUPPORTED</p>	<p>Version 0 is no longer supported.</p>	<p>Need to use the latest xml format and version 1 is needed.</p> <p><Version>1</Version ></p>	<pre> <SROReleaseRequest> <UserName>user_1234</UserName> <ReleaseSummary> <Date>20081021</Date> <Time>13:09</Time> <Version>0</Version > </ReleaseSummary> <EquipmentReleaseDetail> <EquipmentInfo> <EquipmentInitials>CN</EquipmentInitials> <EquipmentNumber>401796</EquipmentNumber> </EquipmentInfo> <LoadEmpty>EMPTY</LoadEmpty> </EquipmentReleaseDetail> </SROReleaseRequest> </pre>	<pre> <?xml version="1.0" encoding="UTF-8"?> <soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"> <soapenv:Body> <SROReleaseReply xmlns="http://www.cn.ca/SRO/Release"> <ReleaseSummary> <Date>20070215</Date> <Time>11:21</Time> </ReleaseSummary> <EquipmentReleaseStatus> <EquipmentInfo> <EquipmentInitials>__</EquipmentInitials> <EquipmentNumber>0</EquipmentNumber> </EquipmentInfo> <Status>Rejected</Status> </EquipmentReleaseStatus> <ErrorCode> ERROR_VERSION_NOT_SUPPORTED </ErrorCode> </SROReleaseReply> </soapenv:Body> </soapenv:Envelope> </pre>
------------------------------------	--	---	---	---